



---

## TASTING ROOM

## DOLCETTO

---

Composition: 95.7% polyester, 4.3% linen

Width: 145 cm

Weight: 430 gsm

Abrasion resistance: BS EN ISO 12947-2/BS EN 14465: 2003 Annex a: >150,000 rubs

Tensile strength: ISO 13934-2:2014: Warp: 2000N, Weft 580N

Tearing strength: ISO 13937-1:2000/COL 1:2004: Warp yarns torn >63N, Weft yarn torn 50N

Seam slippage: ISO 13936-2:2004: Warp 1.0 mm, Weft 1.0 mm

Change in shade @ 3000 revs: grade: grade 4-5

Colour fastness to rubbing (dry): BS EN ISO 105 x 12: 2002: 4/5

Colour fastness to rubbing (wet): BS EN ISO 105 x 12: 2002: 4/5

Colour fastness to light -std 5 (BS EN ISO 105 B02: 2014: 5

Martindale pilling - BS EN ISO 12945-2: 2000: 4/5

Flame Retardant cigarette ignition resistance (NFPA 260 standard): PASS class 1

Care instructions: Dry clean



Usage: Upholstery; curtains; loose covers and cushions



**ELITE**  
HOMEWEAR  
SINCE 1978









1



2



3



4



5



6



7



8



10



11



12



13



16




18



19





21



23



24



25



26



27



28



29



30



31



32



33



34



35



36